

NORTH AMERICAN PLANTS.

CONTENTS OF
FASCICLE I.

COLLECTED AND DISTRIBUTED BY A. H. CURTISS IN 1877.

- Clematis reticulata*, Walt.
Asimina parviflora, Dunal.
grandiflora, Dunal.
Nymphaea flava, Leitner.
Sarracenia variolaris, Mx.
Gynandropsis pentaphylla, DC.
Helianthemum corymbosum, Mx.
Acyrum amplexicaule, Mx.
Hypericum cistifolium, Lam.
fasciculatum, Lam.
myrtifolium, Lam.
Arenaria diffusa, Ell.
Portulaca pilosa, L.
Sida stipulata, Cav.
Hibiscus coccineus, Walt.
Gordonia Lasianthus, L.
Ximena Americana, L.
Ceanothus microphyllus, Mx.
Polygala Baldwinii, Nutt.
cymosa, Walt.
grandiflora, Walt.
setacea, Mx.
Lupinus villosus, Willd.
Crotalaria Purshii, DC.
Psoralea virgata, Nutt.
canescens, Mx.
Lupinellus, Mx.
Petalostemon roseus, Nutt.
gracilis, Nutt.
corymbosus, Mx.
Indigofera Caroliniana, Walt
Glottidium Floridanum, DC.
Astragalus obovatus, Ell.
Eschynomone viscidula, Mx.
Rhynchosia tomentosa, var.
monophylla, T. & G.
var. orecta, T. & G.
var. volubilis, T. & G.
Galactia Elliottii, Nutt.
Baptisia Lecontei, T. & G.
Cassia obtusifolia, L.
Schrankia angustata, T. & G.
Prunus Caroliniana, Ait.
Crataegus flava, Ait.
Gaura augustifolia, Mx.
Eriogonum sinuata, L.
Ludwigia virgata, Mx.
linifolia, Poir.
alata, Ell.
Rhexia glabella, Mx.
ciliosa, Mx.
serrulata, Nutt.
Piriqueta fulva, Chapm.
Eryngium Mettaueri, Wood.
aromaticum, Baldw.
Tiedemannia teretifolia, DC.
Heliosciadium leptophyllum, DC.
Leptocaulis divaricatus, DC.
Cornus stricta, Lam.
Galium hispidulum, Mx.
Richardsonia scabra, St. Hill.
Diodia Virginica, L.
Chioceca racemosa, Jacq.
Houstonia rotundifolia, Mx.
Vernonia augustifolia, Mx.
Carphephorus corymbosus.
- Liatris elegans*, Willd.
tenuifolia, Nutt.
gracilis, Pursh.
paniculata, Willd.
Eupatorium coronopifolium, Willd.
Aster squarrosus, Walt.
Eriogonum vernum, T. & G.
Diplopappus obovatus, T & G
Solidago brachyphylla, Chap
tortifolia, Ell.
Bigelovia nudata, DC.
Heterotheca scabra, DC.
Chrysopsis gossypina, Nutt.
Conyza ambigua, DC.
Baccharis augustifolia, Mx.
glomeruliflora, Pers.
Pterocaulon pyenostachyum, Ell.
Berlandiera tomentosa, T & G
Iva microcephala, Nutt.
Melanthera hastata, Mx.
Zinnia multiflora, L.
Rudbeckia mollis, Ell.
Helianthus Radula, T. & G.
Actinomeris heterophylla, Chapm.
Coreopsis aurea, Ait.
gladiata, Walt.
nudata, Nutt.
Acanthospermum xanthioides, DC.
Palafoxia integrifolia, T & G.
Baldwinia uniflora, Nutt.
Actinospermum angustifolium, T. & G.
Cirsium Nuttallii, DC.
Chaptalia tomentosa, Vent.
Lygodesmia aphylla, DC.
Pyrropappus Carolinianus.
Lobelia glandulosa, Walt.
paludosa, Nutt.
Vaccinium myrsinites, Mx.
Leucothoe axillaris, Don.
acuminata, Dunal.
Andromeda nitida, Bartr.
ferruginea, Walt.
ligustrina, Muhl. var. frondosa, Pursh.
Kalmia hirsuta, Walt.
Bejaria racemosa, Vent.
Ilex ambigua, Chapm.
myrtifolia, Walt.
Dahoon, Walt.
coriacea, Chapm.
Bumelia tenax, Willd., var.
Styrax pulverulenta, Mx. +
Symplocos tinctoria, L'Her.
Utricularia fibrosa, Walt.
Pinguicula lutea, Walt.
elatior, Mx.
pumila, Mx.
Bignonia capreolata, L.
Geratiola subulata, Bald.
Scoparia dulcis, L.
Buchnera elongata, Swartz.
Seymeria tenuifolia, Pursh.
pectinata, Pursh.
Gerardia divaricata, Chapm.
- Gerardia aphylla*, Nutt.
purpurea, L., var. fasciculata, Chapm.
filifolia, Nutt.
Ruellia oblongifolia, Chapm
Verbena Caroliniana, Mx.
Callicarpa Americana, L.
Hyptis radiata, Willd.
spicata, Poit.
Pycnanthemum nudum, Nutt
Salvia azurea, Lam.
Scutellaria integrifolia, var. major, Chapm.
Bonania humistrata, Gray.
Lycium Carolinianum, Mx.
Bartonia verna, Muhl.
Gelsemium sempervirens, Ait
Polypremum procumbens, L.
Asclepias amplexicaulis, Mx.
cinerea, Walt.
Olea Americana, L.
Rumex Engelmanni, Ledeb.
Polygonella gracilis, Meisn.
Persea Carolinensis, Nees.
Callitriche peploides, Nutt.
Euphorbia heterophylla, L.
Jatropha urens, L., var. stimulosa, S. Muller.
Stylingia sylvatica, L.
ligustrina, Mx.
Tragia innocua, Walt.
Quercus Catesbaei, Mx.
cinerea, Mx.
Phellos, L.
virens, var. dentata, Chap.
Myrica cerifera, L., var. pumila, Mx.
Pinus Elliottii, Eng.
australis, Mx.
Sabal Palmetto, R. & S.
Sagittaria natans, Mx., var. lorata, Chapm.
Burmannia capitata, Chapm.
Habenaria cristata, R. Br.
ciliaris, R. Br., var. nivea, Spreng.
Spiranthes brevifolia, Chap.
graminea, var. Walteri, Gr.
Pogonia divaricata, R. Br.
Calopogon parviflorus, Lindl.
Aletris aurea, Walt.
Tillandsia recurvata, Pursh.
usneoides, L.
Smilax auriculata, Walt.
tamnoides, L.
laurifolia, L.
Lilium Catesbaei, Walt.
Yucca aloifolia, L.
Juncus Roemerianus, Scheele
Tradescantia rosea, Vont.
Xyris Elliottii, Chapm.
platylepis, Chapm.
torta, Smith.
Eriocaulon gnaphalodes, Mx.
Lachnocaulon Michauxii, Kunth.
Cyperus articulatus, L.
Baldwinii, Torr.
microdontus, Torr.
- Cyperus tetragonus*, Ell.
rotundus, var. Hydra, Gr.
Fuirena scirpoides, Vahl.
Eleocharis albida, Torr.
Baldwinii, Torr.
Fimbristylis ciliatifolia.
stenophylla.
spadicea, Vahl., var. puberula, Chapm.
Dichromena latifolia, Baldw.
leucocephala, Mx.
Rhynchospora caduca, Ell.
capitata, Chapm.
Chapmanii, M. A. Curtiss.
ciliata, Vahl.
divergens, Chapm.
Elliottii, Dietr.
filifolia, Gray.
Grayii, Kunth.
megalocarpa, Gray.
oligacea, Gray.
anilantha, Gray.
plumosa, Ell.
Scorria ciliata, Mx.
Elliottii, Chapm.
Baldwinii, Torr.
gracilis, Ell.
- Sporobolus Indicus*, Brown.
Floridanus, Chapm.
Muhlenbergia trichopodes, Chapm.
Aristida stricta, Mx.
spiciformis, Ell.
lanata, Poir.
Ctenium Americanum, Spr.
Eustachys petraea, Desv.
glauca, Chapm.
Floridana, Chapm.
Dactyloctenium Aegyptiacum, Willd.
Tricuspis ambigua, Chapm.
cornuta, Gray.
Uniola paniculata, L.
Paspalum vaginatum, Swartz
distichum, L.
praecox, Walt.
Panicum gibbum, Ell.
anceps, var. strictum, Chap.
ignoratum, Kunth.
molle, Mx.
Conchris echinatus, L.
Stenotaphrum Americanum, Schrank.
Rottboellia rugosa, Nutt.
Andropogon Elliottii, Chapm
brachystachyus, Chapm.
tetrastachyus, Ell.
Virginicus, L., var. melanocarpus, Ell.
Sorghum pauciflorum, Chap.
secundum, Chapm.
- Aspidium Floridanum*, Chapm.
Lycopodium cernuum, L.
inundatum, L., var. apressum, Chapm.

of names being supplementary to Fasc. I and II. All have printed labels, and there will probably be no omissions from any of the sets. The three specific names omitted in the list will probably be supplied in the labels. Price of Fasc. III., at Cambridge, eighteen dollars, Jacksonville, Florida, January 1, 1880.

A. H. CURTISS.

NORTH AMERICAN PLANTS.

CONTENTS OF

FASCICLE II.

DISTRIBUTED BY A. H. CURTISS IN 1878.

- | | | | |
|---|---|---|---|
| <ul style="list-style-type: none"> — Clematis Catesbyana, Pursh. — Magnolia grandiflora, L. † — Asimina pygmaea, Dunal. — Cabomba Caroliniana, Gray. — Nasturtium tanacetifolium, H. & Arn. — Leavenworthia Michauxii, Torr. — Draba brachycarpa, Nutt. — Drosera brevifolia, Pursh. — capillaris, Poir. — Asecyrum stans, Mx. pumilum, Mx. — Hypericum maculatum, Walt. — Stellaria prostrata, Baldw. — Sesuvium Portulacastrum, L. — Malvastrum angustum, Gray. — Sida rhombifolia, L. — Kosteletzkya Virginica, Presl. — Hibiscus grandiflorus, Mx. — Melia Azederach, L. — Zanthoxylum Carolinianum, Lam. — Vitis vulpina, L. bipinnata, T. & G. — Berchemia volubilis, DC. — Sageretia Michauxii, Brongn. — Frangula Caroliniana, Gray. — Pachystima Canbyi, Gray. — Polygala leptostachys, Shuttl. lutea, L. nana, DC. ramosa, Ell. — Crotalaria ovalis, Pursh. — Psoralea subcaulis, T. & G. — Petalobemum foliosum, Gray. decumbens, Nutt. — Tephrosia spicata, T. & G. hispida, Pursh. chrysophylla, Pursh. ambigua, M. A. Curtiss. — Astragalus villosus, Mx. — Eschynomene hispida, Willd. — Desmodium lineatum, DC. strictum, DC. — Vicia acutifolia, Ell. Floridaana, Watson. — Rhynchosia minima, DC. — Phaseolus perennis, Walt. — Erythrina herbacea, L. — Centrosema Virginianum, Benth. — Galearia pilosa, Ell. glabella, Mx. — Cassia occidentalis, L. nictitans, L. var. aspera. — Gleditschia monosperma, Willd. — Chrysobalanus ohlongifolius, Mx. — Prunus umbellata, Ell. — Rubus trivialis, Mx. — Rosa laevigata, Mx. — Decumaria barbara, L. — Onothera triloba, DC. — Ludwigia pilosa, Walt. microcarpa, Mx. natans, Ell. | <ul style="list-style-type: none"> — Rhexia Mariana, L. var. lanceolata, Walt. (sp.) stricta, Pursh. lutea, Walt. — Lythrum lineare, L. — Mentzelia Floridaana, Nutt. — Passiflora incarnata, L. — suberosa, L. — Melothria pendula, L. — Eugenia monticola, DC. — Hydrocotyle repanda, Pers. interrupta, Muhl. — Eryngium yuccaeifolium, var. sychoetum, Gray, ined. — Bupleurum rotundifolium, L. — Psychotria rufescens, H. B. K. — Oldenlandia glomerata, Mx. — Elephantopus tomentosus, L. — Liatris odoratissima, Willd. — Eupatorium cuneifolium, Willd. fœniculaceum, Willd. — Sericeocarpus tortifolius, Nees. — Aster Carolinianus, Walt. — Solidago angustifolia, Ell. pilosa, Walt. — Chrysopsis graminifolia, Nutt. — Grindebia lanceolata, Gray. — Iva imbricata, Walt. — Eclipta creta, L. — Borrchia frutescens, DC. — Coreopsis angustifolia, Ait. — Verbesina sinuata, Ell. — Leptopoda puberula, Machr. — Murhalla angustifolia, Ph. — Lactuca Canad's, var. graminifolia, Chapm. — Vaccinium arboreum, Marsh. — Andromeda ferruginea, var. frutescens, Mx. — Ilex Cassine, L. — Cyrilla racemiflora, Walt. — Plantago heterophylla, Nutt. — Centunculus minimus, L. — Utricularia subulata, L. — Herpestis Monniera, H. B. K. — Gratiola quadridentata, Mx. pilosa, Mx. — Mieranthemum Nuttallii, Gr. — Gerardia linifolia, Nutt. parvifolia, Chapm. — Schwalbea Americana, L. — Ruellia ripariis, Chapm. — Dianthera ovata, Walt. var. Dichoptera brachiata, Spreng. — Lippia nodiflora, Mx. — Lantana Camara, L. — Dicerandra linearifolia, Bth. — Salvia coccinea, L. — Stachys Floridaana, Shuttl. — Heliotropium tenellum, Torr. — Neoophila microcalyx, F. & M. — Gilia coronopifolia, Pers. — Batatas littoralis, Choisy. — Ipomœa hederacea, Jacq. var. integriscula, Gr. ined. commutata, R. & S. Michauxii, Sweet. | <ul style="list-style-type: none"> — Ipomœa Bona-Nox, L. sagittifolia, Bot. Reg. — Dichondra repens, var. Carolinensis, Choisy. — Solanum rostratum, DuRoi. — sisymbriifolium, Lam. — aculeatissimum, Jacq. — Capsium frutescens, L. — Sabbatia calycosa, Pursh. — Mitreola sessilifolia, T. & G. — Amsonia Tabernamontana, Walt. — Vinca rosea, L. — Asclepias paupercula, Mx. Michauxii, Decaisne. tenennis, Walt. tonentosa, Ell. — Scutera maritima, Decaisne. — Cynoctonum ? scoparium, Chapm. — Fraxinus platycarpa, Mx. — Forestiera porulosa, Poir. — Oxybaphus albiflorus ^{sp. nov.} sp. nov. Sweet. — Boerhaavia erecta, L. — Rivina humilis, L. — Alternanthera flavescens, Moq. — Prælicia Floridaana, Moq. — Piper leptostachyon, Nutt. — Euphorbia serpens, H. B. K. humistrata, Engelm. — Acalypha Caroliniana, Walt. — Croton maritimus, Walt. argyranthemus, Mx. glandulosus, L. capitatus, Mx. monanthogynus, Mx. — Phyllanthus Carolinensis, Willd. — Ceratiola ericoides, Mx. — Urtica chamaedryoides, Pursh. — Parietaria debilis, Forst. — Quercus aquatica, Catesby. cinerea, Mx., var. pumila. lyrata, Walt. — Phellos, L., var. arenaria. virens, Ait. — Pinus Taeda, L. † serotina, Mx. † — Taxodium distichum, Rich'd. — Sabal serrulata, R. & S. Adansonii, Guerns. — Sagittaria lancifolia, L. natans, Mx. — Burmannia biflora, L. — Apteris setacea, Nutt. — Calopogon multiflorus, Lindl. — Bletia vercounda, Swartz. — Canna flaccida, Roscoe. — Amaryllis Atamasco, L. — Pancratium rotatum, Ker. f. — Crinum Americanum, L. — Hypoxys leptocarpa, Eng. juncen, Smith. — Smilax humilis, Walt. — Amianthium angustifolium. — Allium mutabile, Mx. | <ul style="list-style-type: none"> — Yucca filamentosa, L. ^{fruticosa} — Juncus dichotomus, Ell. Elliottii, Chapm. marginatus, Rostk. var. biflorus, Ell. (sp.) scirpoides, Lam., var. macrostemon, Engelm. var. echinatus, Engelm. var. polycephalus, Eng. setaceus, Rostk. — Commelyna angustifolia, Mx. communis, L. ? — Xyris brevifolia, Mx. flabelliformis, Chapm. Pappalanthus flavidus, K'nth. — Cyperus Haspan, L. ovalis, Torr. retrofractus, Torr. stenolepis, Torr. — Eleocharis capitata, R. Br. prolifera, Torr. — Rhynchospora Baldwinii, Gr. cephalantha, Torr. fascicularis, Nutt. var. distans, Chapm. nitens, Gray. rariflora, Ell. — Cladium effusum, Torr. — Scleria pauciflora, Muhl. vars. Carex Fraseriana, Sims. glaucescens, Ell. stenolepis, Torr. — Villa Virginica, Beauv. — Sporobolus junceus, Kunth. — Muhlenbergia filipes, M.A.C. — Gymnopogon racemosus, Bv. brevifolius, Trin. — Leptochloa mucronata, Kunth — Eatonia Pennsylvanica, var. filiformis, Chapm. — Eragrostis nitida, Chapm. — Uniola nitida, Baldw. — Paspalum Digitaria, Poir. Walterianum, Schultes. obtusifolium, Raddi. undulatum, Poir. Panicum serotinum, Trin. Curtisii, Chapm. hirtellum, L. rufum, Kunth. — Setaria corrugata, Schult. composita, Kunth. — Erianthus alopecuroides, Ell. — Andropogon argenteus, Ell. macrourus, Mx. var. viridis, Chapm. var. glaucopsis, Chapm. var. corymbosus, Chapm. — Polypodium ineanum, Swz. — Cheilanthes Alabamensis, K're. minorphylla, Swz. vestita, Swz. tomentosa, Link. — Asplenium montanum, Willd. — Aspidium patens, Swz. — Trichomanes radicans, Swz. — Lycopodium Carolinianum, L. |
|---|---|---|---|

— laid out + Fruit in case. ② Dup² L = Zephyranthes lineata Chapm.

of names being supplementary to Fases, I and II. All have printed labels, and there will probably be no omissions from any of the sets. The three specific names omitted in the list will probably be supplied in the labels. Price of Fasc. III., at Cambridge, eighteen dollars. Jacksonville, Florida, January 1, 1880. A. H. CURTISS.

NORTH AMERICAN PLANTS.

— CONTENTS OF —

FASCICLE III.

Distributed by A. H. Curtiss in 1879-80.

- Anona laurifolia*, Dunal.
(Leavenworthia Michauxii, Torr.)
Warea cuneifolia, Nutt.
Alyssum Lescurii, Gray.
Polanisia trachysperma, Torr. & Gray.
Polanisia tenuifolia, T. & G.
Hypericum aureum, Bartr.
Hypericum fasciculatum, Lam., var. *aspalathoides*, Arenaria patula, Michx.
Stellaria uniflora, Walt.
Siphonochla Americana, Torr. & Gr.
Sesuvium pentandrum, Ell.
Sida filiformis, Moric.
Urena lobata, L.
Modiola multifida, Mœnch.
Pavonia spiffex, Willd.
Hibiscus furcillatus, Desv.
Melochia serrata, Benth.
Zanthoxylum Pterota, H. B. K.
Bursera gummifera, Jacq.
Amyris Floridana, Nutt.
Vitis incisa, Nutt.
Gouania Dominicensis, L.
Dodonaea viscosa, L.
Hypelate paniculata, Don.
Cardiospermum Halicacabum, L.
Polygala Ruggelii, Shuttl.
Crotalaria incarnata, L.
" *pumila*, Ort.
Dalea Hallii, Gray.
Petalostemon carneus, Mx.
Tephrosia angustissima, Shuttl.
Tephrosia leptostachya, DC.
Indigofera tinctoria, L.
Glofidium Floridanum, DC., var.
Sesbania unicecarpa, Muhl.
Zornia tetraphylla, Mx.
Desmodium molle, DC.
Phaseolus sinuatus, Nutt.
Vigna gabra, Savi.
(*Galaetia glabella*, Mx.)
Canavalia obtusifolia, DC.
Sophora tomentosa, L.
— *Ecastophyllum Brownii*, Pers.
Cassia Roemeriana, Scheele.
Mimosa strigillosa, T. & G.
Desmanthus brachylobus, Benth.
(*Chrysobalanus oblongifolius*, Mx.)
Chrysobalanus Jacq., L.
(*Enothera sinuata*, L.)
" var. *humifusa*, Tor. & Gr.
Ludwigia capitata, Mx.
" sp.
Rhizophora Mangle, L.
Laguncularia racemosa, Gaertn.
Conocarpus erecta, Jacq.
" var. *sericea*, Chapm.
(*Ammannia humilis*, Mx., v.)
Ammannia latifolia, L.
Papaya vulgaris, DC.
Eugenia dichotoma, DC.
" *monticola*, Willd.
" *buxifolia*, Willd.
Psidium Guayana, Raddi.
Eryngium Baldwinii, Sprg.
Cherophyllum Teinturierii Hook & Arn.
Borreria micrantha, T. & G.
Ernodea littoralis, Swz.
Psychotria lanceolata, Nutt.
" *rufescens*, H. B. K.
Hamelia patens, Jacq.
Randia aculeata, L.
Ydenlandia Halei, Chapm.
Vernonia Lindheimeri, Gray & Eng.
Eupatorium mikanioides, Chapm.
Bellis integrifolia, Mx.
Gallierozia sphaerocephala, Gray.
Chrysopsis trichophylla, N. hyssopifolia, Nutt.
Berlandiera subaequalis, Nutt.
Helianthus debilis, Nutt.
Coreopsis Leavenworthii, Torr. & Gray.
Bidens leucantha, Willd.
Fluveria linearis, Lag.
Palafoxia Peayii, Gray.
Lobelia Peayana, Gray.
Scayola Plumieri, Vahl.
Campanula Floridana, Watson.
Vaccinium Elliottii, Chapm.
Chrysophyllum oliviforme, Lam.
Sideroxylon mastichodendron, Jacq.
Bumelia lycioides, Gaertn.
Ardisia Pickeringia, T. & G.
Plumbago scandens, L.
Samolus ebracteatus, Kth.
Utricularia gibba, L.
Hysanthes grandiflora, Bth.
Gerardia Skinneriana, Wood
(*Calophanes linearis*, Gray.)
Verbeina bipinnatifida, Nutt.
" *Atblella*, L.
" var. *maritima*.
Herpestis amplexicaulis, Ph.
Herpestis nigrescens, Benth.
Lantana involucrata, L. var.
Chtharexylum villosum, Jacq.
Avicennia nitida, Jacq.
Satureia rigida, Bartr.
Hedeoma Drummondii, Bth.
Galamintha glabella, Benth.
" *coecinea*, Benth.
Scutellaria brevifolia, Gray.
Physostegia Virginiana, var. *denticulata*, Chapm.
Heliotropium curassavicum, L.
Heliotropium polyphyllum, Lehm., var. *Leavenworthii*, Gray.
Heliophyllum parviflorum, DC.
Pilea Purshii, Buckl.
Ipomoea Pes Caprae, Sweet.
" *cathartica*, Poir.
Evolvulus argenteus, Pursh.
Solanum verbascifolium, L.
Physalis viscosa, Gr. Flora.
Sabbalia Elliottii, Steud.
" *graecilis*, Salisb., var. *grandiflora*, Gray.
Enstoma exaltatum, Griseb.
Elmnanthemum trachyspermum, Gr.
Spigelia Marilandica, L.
Mitreola petiolata, T. & Gr.
(*Amsonia Tabernaemontana*, Watt.)
(*Asclepias tomentosa*, Ell.)
Metastelma Bahamense, Griseb.
Philibertia viminalis, Gray.
Gonolobus suberosus, R. Br.
Forestiera ligustrina, Poir.
" *acuminata*, Poir.
Aristolochia tomentosa, Sims.
Boerhaavia hirsuta, Willd.
Pisonia obtusata, Swartz.
Peltiveria alliacea, L.
Atriplex cristata, H. B. K.
Iresine vermicularis, Moq.
Tetianthera Floridana, Chapm.
Polygonella parvifolia, Mx.
Coccoloba uvifera, Jacq.
" *Floridana*, Meisn.
Persea catesbyana, Chapm.
Cassyta filiformis, Miller.
Euphorbia dentata, Michx.
" *glabella*, Swartz.
" *graminifolia*, Mx.
" *pilulifera*, L.
" *polyphylla*, Eng.
" *trichotoma*, H.
B. K.
(*Ceratolola ericoides*, Mx.)
Batis maritima, L.
Ulmus crassifolia, Nutt.
Ficus aurea, Nutt.
Carya aquatica, Nutt.
(*Quercus lyrata*, Walt.)
Myrica inodora, Bartr.
(*Sabal serrulata*, fr.)
Epidendrum venosum, Lind
Thalia divaricata, Chapm.
(*Zephyranthes Treatiae*, Watson.)
Cooperia Drummondii, Her.
Tillandsia utriculata, Lec.
" *bracteata*, Chapm.
" *caespitosa*, Lec.
Smilax Walteri, Pursh.
Scenocaulon gracilis, Gr.
Nolina Georgiana, Mx.
Juncus repens, Michx.
Tradescantia Floridana, Watson.
Cyperus brunneus, Swz.
" *Lecontei*, Torr.
" *ligularis*, L.
" *Nuttallii*, Torr., var. *virens*, Michx.
(*Eleocharis albidia*, Torr.)
" *capitata*, R. Br.
Scirpus supinus, L., var. *Hallii*, Gr.
Fimbristylis Warei, Torr.
Rhynchospora cynosa, Nt.
" *corniculata*, Gray.
" *divergens*, C. var. *microcarpa*, Bald.
" *semiplumosa*, Gray, var. *stipitata*, Chapm.
Carex dasycarpa, Muhl.
Aristida scabra, Kunth.
Vilfa sp.
Cynodon Dactylon, Pers.
Trienopsis stricta, Nutt.
" *trivervigulmis*, Buckl.
Paspalum fluitans, Kunth.
(*Paspalum distichum*, var.)
Panicum amarum, Ell.
" *Coloquium*, L.
" *divaricatum*, L.
" *microcarpon*, Muhl.
" *striatum*, Lam.?
" sp.
" sp.
Setaria Italica, Kunth.
Erianthus strictus, Baddw.
Andropogon tener, Kunth.
" *Torreyanus*, Steud.
Aerostichum aureum, L.
Polypodium pectinatum, L.
" *Phyllitidis*, L.
" *aureum*, L.
Ceratopteris thalictroides, Brown.

NOTE.—In this fascicle will be found 215 species and varieties, the 15 with parentheses at left of names being supplementary to Fasc. I and II. All have printed labels, and there will probably be no omissions from any of the sets. The three specific names omitted in the list will probably be supplied in the labels. Price of Fasc. III., at Cambridge, eighteen dollars. Jacksonville, Florida, January 1, 1880. A. H. CURTISS.

Corrections, &c., for fasc. V. of
A. H. Curtis' collections.

BOTANIC GARDEN OF HARVARD UNIVERSITY,

CAMBRIDGE, MASS. Feb 17th 1862

- 14^x. "Arenaria heterophylla, Nutt.", which is
a var. of A. decapetala (A. Caroliniana)
not
304. "Arenaria brevifolia", but A. glabra, Mx.
333^x. "Spergularia Mexicana?" is Lepigonum
gracile, Watson, ined.
400^x. "Melochia hirsuta", but probably
only a form of M. serrata, Cav.
341^t. "Paronychia riparia" = P. Baldrimii
apparently.
473. "Colubrina Americana, Nutt.", i. e. C. fer-
uginea, Brongn.
not
645^x. "Vicia pulchella", but V. Leavenworthii
7. R.
709. not "Cassia angusticiliqua" but C. Bahamensis, Mill.
811. "Crataegus glandulosa", i. e. C. flava, Ait., var.
pubescens, Gray.
1036^x. "Leptocaulis patens", with unusually smooth
fruit.
1279. not "Aster virgatus", but A. polyphyllus, Mill.
1637. not "Lobelia leptostachya", but L. Gattingeri, Gray, n. sp.
1669^x. not "Vaccinium Cubense", but Caylinacacia dumosa.
1775. "Cliftonia ligustrina", i. e. C. nitida, Banks.
2204. "Physalis angulata", = var. Linkiana, Gray.
2464^x. "Euphorbia arenaria, Nutt.", i. e. E. zygophylloides, Boiss.

2504*. *Stillingia* - var. "lanceolata" should
be var. *linearifolia*, Boiss.

2525-C. Now "Croton Cascarilla", Linn., but
C. linearis, Jacq.

2460*. "*Sisyrinchium minus*, Engelm.", s. s.
S. geniculatum, Herb.

1962* of fasc. IV, "*Hyptis spicigera*" is
H. pectinata ^{DC.} var.

SVI

A. H. Curtis, Florida Plants. Oct. 1896.

5709. *Lechea major*, Michx., var. *divaricata*, Gay.
5390. *Stipulicida setacea*, Michx.
5766. *Zornia tetraphylla*, Michx.
5717. *Desmodium rhombifolium*, DC. = *D. Floridanum*, Chapman.
5717A. " " " " "
5793. ~~53~~ *Desmodium strictum*, DC.
5798. " *lineatum*, var. *polymorphum*, Gay, too near strictum!
5600. *Rhynchosia minima*, DC.
5616. " *erecta*, DC.
5600 A. *Galactia pilosa*, Ell., var. *angustifolia*, T. & G.
5788. *Phaseolus umbellatus*, Britton.
5626. *Eugenia procera*, Poir.
5657. *Turnera ulmifolia*, L.
5723. *Eupatorium cuneifolium*, Willd.
5597. *Asclepias Feayi*, Chapman.
5599. *Gonolobus suberosus*, R. & H.
5598. *Gonolobus hirsutus*, Michx.
5596. *Sponoaea tuba*, Don.
5594. *Solanum nigrum*, L.
5595. " " var. *Dillenii*, Gay.
5713. *Physalis arvicola*, Kearney.
5602. *Thyrsacanthus strictus*, Nees.
5593. *Alternanthera paronychioides*, St. Hil.
5775. *Acnide tamariscina*, Wood.

- 5775 A. *Acrida tamausiana*. Wood, var. *prostrata*, Ullie & Gray?
5592. *Blebia verecunda*, R. Br.
5748. *Xyris platylepis*, Chapm.
5731. " *difformis*, Chapm.
5591. " *torta*, Smith.
5753. *Lachnocaulon Michauxii*, Kunth.
5072. *Rhynchospora gracilentata*, Gray.
5739. " *glomerata*, Tahl, var. *paniculata*, Chapman.
5716. *Scleria pauciflora*, Muhl.
5680. *Scirpus robustus*, Pursh.